



Nobis NB07 Battery Replacement

This guide will guide through the steps of removing and replacing your tablet's battery.

Written By: Daniel Gomero



INTRODUCTION


To complete this guide, you will need to disassemble your tablet and use a soldering iron to replace the battery. The battery is removed first in most cases, even if you are trying to remove other components.



TOOLS:



- [Spudger](#) (1)
 - [iFixit Opening Tools](#) (1)
 - [Soldering Workstation](#) (1)
 - [Electrical Tape in 6 Assorted Colors](#) (1)
 - [Low Adhesive Glue](#) (1)
-

Step 1 — Opening the case




- Look towards the topside of the tablet, where the power button is located.
- Insert a plastic opening tool in the crack between the two parts of the case.
- Move it gently back and forth to open the case.

Step 2



- With the plastic opening tool in the opening between the two sides of the case, slide the tool along the tablet's border to separate the two sides completely.


 Be careful when you separate the two halves. Open the case from the opposite side of the camera, there is a cable connecting both halves of the case.

Step 3 — Replacing the battery




- Remove the tape holding the battery in place.

Step 4




- Insert the flat end of the spudger tool in the crack beneath the battery.
 - Move the spudger tool carefully side to side to remove the glue that is holding the battery in place.
- i** This is a soft battery, so a little bending is expected.

Step 5



- After the battery is unglued, locate the cables that connect it to the motherboard.
- ⓘ Annotate where each color goes to make the reassembly easier.

Step 6



- Desolder the cables with a soldering iron and use a desoldering braid to remove the solder.
- ⓘ Review the [ifixit soldering guide](#) if you need help soldering.
- ★ You can now remove the battery.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-06-18 10:43:23 AM.